D-Link[®]



Motion & Sound Detection Alerts



4x Digital Zoom





WPS & Mobile App For Easy Setup

mydlink[®] Lite App For Remote Viewing



DCS-932L DAY & NIGHT WI-FI CAMERA

Features

Premium Resolution and Visibility

- High quality VGA CMOS sensor
- Supports M-JPEG video codecs
- 4x digital zoom for close-up viewing
- Built-in microphone¹

Security

- Motion & sound detection triggers e-mail/push alert notifications
- Save snapshots to your mobile device

Ease of Use

- Uses Wireless N technology so you
- can install the camera anywhere with ease
- WPS support for easy wireless connection

Convenient Control with mydlink® Support

- mydlink Lite app support for iPhone, iPad, Android devices and Windows phone²
- mydlink portal for easy viewing and management

Overview

The Day & Night Wi-Fi Camera (DCS-932L) is a video surveillance solution for your home or small office. The DCS-932L is a standalone surveillance camera that requires no special hardware or software, and can run independently even without a PC and it even includes sound & motion detection. Send e-mail notifications with snapshots whenever sound or motion is detected using just the DCS-932L and an Internet connection. You can even customize areas and volumes to monitor for motion or loud noises - helping you keep watch over entryways or sensitive areas of a room. Night time monitoring is possible with the built-in infrared LEDs which allow for night time viewing of up to 16 feet, enabling round-the-clock monitoring of a home or small office. Add a mydlink Camera Recorder (DNR-202L) for hassle-free recording of up to 4 D-Link Wi-Fi Cameras for a scalable solution for recording and storing video³.

Convenient Access Anytime, Anywhere with mydlink®

Enhanced with mydlink® support, the Day & Night Wi-Fi Camera makes it easy and convenient for you to look after your family, pets, home or small business. With a mydlink enabled camera, you can stay connected to everything you love from anywhere, anytime. Access your camera through the mydlink mobile app or website to view and manage your camera through your smartphone, tablet, laptop or desktop, no matter where you are.





Light Sensor -

Camera Lens -

DCS-932L DAY & NIGHT WI-FI CAMERA

Back View

Front View



Technical Specifications Camera		
Image Features	Adjustable image size, quality and frame rateConfigurable brightness, saturation and contrast	Time stamp and text overlays
Video Compression	MJPEG format compression	JPEG for still images
Video Resolution	• 640 x 480 at up to 20 fps	• 320 x 240 / 160 x 120 at up to 30 fps
Audio	• PCM	
External Device Interface	Power Connector10/100Base-TX Ethernet PortPower L:ED	WPS LEDWPS ButtonReset Button
Network		
Network Protocols	 IPV4, ARP, TCP, UDP, ICMP DHCP Client NTP Client (D-Link) DNS Client DDNS Client (D-Link) SMTP Client 	 FTP Client HTTP Server PPPoE UPnP Port Forwarding LLTD
Security	Password authentication	HTTP digest encryption
Wireless Connectivity	802.11n/g wireless with WEP/WPA/WPA2 encryption	Operates on 2.4GHz frequency band
Recording		
mydlink Camera Recorder (DNR-202L)	 Supports 2 external USB hard drives up to 4 TB each Records up to 4 D-Link Wi-Fi Cameras 	DNR-202L and USB hard drives sold separately



System Integration		
System Requirements for Web Interfaces	 Operating system: Microsoft Windows 8/7/Vista⁴ or Mac OS X 10.6 and above 	• Browser: Internet Explorer 7, Firefox 12 or above, Safari 6 or above, Chrome 20 or higher
Event Management	Configurable motion detection windowsConfigurable sound level detection	Event notification and sending snapshots via SMTP
Remote Access		
Remote Management	Configuration accessible via web browser	
Mobile Support	 mydlink Lite app for iOS, Android and Windows Phones Requires iOS 7 and above, Android 4.0 and above, or any version Windows Phone 	 mydlink+ app for iOS and Android Requires iOS 7 and above or Android 2.1 and above
General		
Weight	• 0.2 lbs	
Power	• 5 V DC 1 A, 50/60 Hz	
Power Consumption	• 2.84 watts maximum	
Temperature	• Operating: 32 to 104 °F (0 to 40 ℃)	• Storage: -4 to 158 °F (-20 to 70 °C)
Humidity	Operating: 20% to 80% non-condensing	Storage: 5% to 95% non-condensing
Certifications	CE IC	FCC Class BC-Tick
Dimensions (W x H x D)	• With stand: 3.15 x 4.98 x 3.15 inches	
Package Contents	 Day & Night Wi-Fi Camera (DCS-932L) Power adapter 	Ethernet cableQuick install guide
Warranty Information	• 1 Year Limited Warranty	 For warranty and regulatory information, please visit http://support.dlink.com/warranty
Order Information		
Part Number	Description	
DCS-932L	Day & Night Wi-Fi Camera	

¹ Use of audio or video equipment for recording the image or audio of a person without their knowledge and consent is prohibited in certain states or jurisdictions. The end-user assumes all liability for compliance with applicable state, local and federal laws. ² The DCS-932L is not supported by the mydlink Home app and is not compatible with D-Link's Connected Home Series.

³ Please check http://us.dlink.com for camera compatibility

⁴ Computer must adhere to Microsoft's recommended system requirements.

For more information

U.S.A. | 17595 Mt. Herrmann Street | Fountain Valley, CA 92708 | 800.326.1688 | dlink.com

©2016 D-Link Corporation/D-Link Systems, Inc. All rights reserved. D-Link, the D-Link logo, mydlink and the D-link ROHS logo are trademarks or registered trademarks of D-Link Corporation or its subsidiaries in the United States and/or other countries. Other trademarks or registered trademarks or fegistered trademarks are the property of their respective owners. iPhone and iPad are registered trademarks of Apple Inc. Android is a trademark of Google Inc. Windows is a registered trademark of Microsoft Inc.

ad fro

ndows Phone Store mydlink Lite only

.





Updated February 2016